

Eco Fence Cape specialises in the installation of perimeter security solutions such as vibracrete walls and extensions, galvanised palisade fences, wooden fences, BETA fencing, gates, razor wire and spikes.

Eco Fence Cape

FIRST LINE DEFENCE SECURITY SPECIALISTS

**OWNER
MANAGED**

WHY CHOOSE ECO FENCE CAPE?

It's as easy as 1, 2, 3.

1 We are owner-operated and pride ourselves on our quick turnaround time and personal service. Manufacture and production timings are efficiently managed to ensure that you receive the product of our choice installed with minimum delay.

2 Eco Fence Cape's ability to tailor-make your product selection to your specifications ensures that we can find both a stylish and budget-friendly solution to all your perimeter security needs.

3 Peace of mind with on-site work covered by Contractors All Risk Cover




GATES



WOODEN
FENCING



PALISADE



ELECTRIC
FENCING



BETA FENCE



VIBRACRETE



MESH
FENCING

www.ecofencecape.co.za

Angela Woodward

083 650 8563

angela@ecofencecape.co.za

FLEXIBILITY

VERSATILITY

SECURITY



Wooden Latte



Planed All Round



Rustic Timber



Treated latte fencing panels are manufactured with a 10-32mm Eucalyptus (gum) sapling and attached to a 38mm x 76mm rail or a 32-50mm dropper. The standard panel width is 2.1m and uses a 38 x 76 rail.

Other sizes are available on request of this extremely popular product.

Treated PAR (Planed All Round) fencing panels are manufactured with a smooth 70mm x 20mm chamfered timber slat which is attached onto a 38mm x 76mm rail.

These fencing panels are custom made to suit your needs.

Treated rustic fencing panels are manufactured with a 76mm x 19mm, or a 76mm x 25mm, timber slat which is attached onto a 38mm x 76mm rail.

Rustic panels are rough by nature and tend to have an element of bark on the slats. The amount of bark depends on the available stock on hand at the time of production.

These fencing panels are custom made to suit your needs.



Eco Fence Cape

Wooden Fencing . Electric Fencing . Palisade . Vibracrete . Betafence . Gates . Spikes

www.ecofencecape.co.za

Angela Woodward

083 650 8563


angela@ecofencecape.co.za

FLEXIBILITY

Nylofor Medium



Nylofor Medium




VERSATILITY

Beta View



Beta View



SECURITY

Securifor 358



Securifor 358



Nylofor Medium by Betafence is a versatile fencing solution for medium security applications. Ideal for Residential Houses, Sports Fields, Offices, and open spaces, Nylofor Medium can do it all.

Nylofor is available in a complete post and panel solution in Green or Anthracite PVC coated at heights of 1,8m and 2,0m at a width of 2,5m.

Betaview by Betafence is the total solution in fencing. With its small apertures and a 3mm core wire it is hard to climb or cut with hand tools. Betaview is a medium to high security fence ideal for Commercial and Industrial Applications, Retail, High End Residential Houses and Estates, and Infrastructure.

Betaview is available as a complete post and panel solution in a Green and Anthracite PVC coated or galvanised. Heights of 2,0m and 2,4m at a width of 3m.

Securifor 358 is where Betafence believe high security begins. With a proven track record of fencing everything from Electrical Substations, Ports, Bonded Warehouses and Military Bases, it is the fence that Betafence's reputation was built on. It can also be used as an architectural mesh for the creative minded.

Securifor 358 is available as a complete post and panel solution in Green or Anthracite PVC coated or galvanised. Heights of 2,4m and 2,9m at a width of 3m.



Eco Fence Cape

BETA Fence

Electric Fencing . Palisade . Vibracrete . Gates . Spikes

www.ecofencecape.co.za

Angela Woodward

083 650 8563

angela@ecofencecape.co.za

FLEXIBILITY

Pre Galvanised

Pales



Pre Galvanised

VERSATILITY

Hot Dip Galvanised

Pales



Hot Dip Galvanised

SECURITY

Bar Steel



Bar Steel



Razorcomb

Slit coil steel is fed through a continuous zinc coater which cleans, fluxes and coats the steel with molten zinc. This is then roll-formed into various pale profiles available across all our ranges.

Locally sourced, Eco Fence Cape palisade panels are made from SABS approved materials, can be tailor-made to any size and width. The most common heights are 1.5m, 1.8m and 2.1m.

Pre galvanised products are not recommended for properties closer than 3km to the coast.

Hot dip galvanisation is the process of coating iron and steel with a layer of zinc by immersing the metal in a bath of molten zinc. Hot dip galvanizing protects steel in two ways, as barrier protection by the provision of a corrosion resistant barrier and sacrificial protection of any damaged areas which prevents under-film attacks.

Due to this increased protection, palisade that is hot dip galvanised is recommended for installations closer to the coast for maximum product lifespan.

Round tube or square tube options are available in Standard 3,0m wide panels or as required. Aesthetically pleasing and a variety of finishes mean the perfect look to compliment your property can be achieved. This can be further enhanced by a powder coated finish.

Powder coating is the environmentally friendly application of dry paint to a surface, boasting the same results as 2 coats of paint. Powder coating produces thicker layers than wet paint without the hassles of drips or paint runs. Popular colours include moss green, hammer bronze, bronze white, charcoal and black.

Eco Fence Cape

Palisade

Electric Fencing . Vibracrete . Betafence . Gates . Spikes

www.ecofencecape.co.za

Angela Woodward

083 650 8563

angela@ecofencecape.co.za

FLEXIBILITY



New Installations

VERSATILITY



Extensions

SECURITY



Repairs & Maintenance

Vibracrete or pre-cast walling is a quality, cost-effective perimeter wall solution that is virtually maintenance free and easily installed.

Standard panels are 1 440mm wide and the most common post heights for new vibracrete walls are 1.8m, 2.1m, or 2.4m.

Popular colours include Tan, Grey, Brown and Two-tone. There are also a number of different finishes to consider: Plain, Plain Brick, Brick, Rustic Brick and Pebble.

Existing walls can either be raised by one (300mm), two (600mm) or three (900mm) slabs in height, subject to the condition of the existing wall.

Extensions can also incorporate additional security measures such as palisade panels or spikes for added peace of mind.

We support the principles of 'reduce and recycle' where possible and can assist with repairs and maintenance of existing walls, working within your budget to repair cracked slabs, replace posts and re-use slabs where applicable to make your existing wall safe and secure.



Eco Fence Cape

Vibracrete

Electric Fencing . Palisade . Betafence . Gates . Spikes

www.ecofencecape.co.za

Angela Woodward

083 650 8563

angela@ecofencecape.co.za